



DLR greenhouse gas balance 2024 according to the Greenhouse Gas Protocol (GHG)



Deutsches Zentrum
für Luft- und Raumfahrt

Table of contents

| | |
|---|----|
| 1. Introduction | 3 |
| 2. Greenhouse gas emission sources | 4 |
| 3. Evaluation | 5 |
| Scope 1: Direct GHG emissions | 5 |
| Scope 2: Indirect GHG emissions from energy supply | 5 |
| Scope 3: Indirect GHG emissions from the value chain | 5 |
| 3.1. Scope 1 emissions | 6 |
| 3.2. Scope 2 emissions | 8 |
| 3.3. Scope 3 emissions | 9 |
| 4. Outlook | 10 |
| Appendix | |
| Conversion factors for calculating emissions | 11 |
| Bibliography | 13 |
| List of figures | 13 |
| Imprint | 14 |

1. Introduction

The German Aerospace Centre (DLR) is Germany's research and technology centre for aerospace. In its core areas, the DLR develops technologies for aerospace, energy and transport, as well as security and defence research. A wide range of results and innovations benefit industry and the economy, public authorities and administration, and public stakeholders. Through intensive knowledge exchange and targeted technology transfer, the DLR fulfils its responsibility to society. To this end, it is funded by the Federal Government. The German Space Agency within the DLR is responsible for planning and implementing German space activities on behalf of the Federal Government. Two DLR project management agencies work as management institutions for research and industrial promotion.

Climate, mobility and technology are changing globally. DLR uses the expertise of its institutes and facilities to develop solutions to the resulting challenges. Our 11,000 employees have a common mission: we explore Earth and space. We develop technologies for a sustainable future and, through technology transfer, contribute to strengthening Germany as a centre of knowledge and business.

With its sustainability strategy, DLR has set itself the goal of achieving greenhouse gas (GHG) neutrality by 2035. In order to move closer to this goal step by step, measures to reduce, avoid and substitute GHG emissions are being taken and continuously implemented across all areas of [DLR's sustainability strategy](#). An important tool on the path to achieving GHG neutrality is the recording of all relevant emission sources.

DLR has been recording its GHG emissions for several years. This greenhouse gas balance covers the accounting period from 1 January 2024 to 31 December 2024. DLR's emission sources include all activities that lead to GHG emissions, including the combustion of fuels in its own facilities, the leakage of volatile gases, the use of electricity and district heating, business travel, employee commuting, some of the emissions from the upstream and downstream value chain, and many other areas.

The DLR uses the consolidation approach of operational control as its accounting boundary. This means that all emissions from operations are attributed 100 per cent to the organisation if it directly controls these operations, regardless of its financial share in them. In line with this approach, the GHG report takes into account the emissions of the sites (including rented space where possible) in Figure 1.



Figure 1 : Overview of DLR locations in Germany that are included in the GHG balance.

2. Greenhouse gas emission sources

The methodology for determining GHG emissions is based on the Greenhouse Gas (GHG) Protocol, which is now being used for the second time at DLR as an accounting framework. This standard defines three categories – known as scopes – for recording GHG emissions. **Scope 1** covers direct GHG emissions from combustion processes in our own facilities (e.g. fuel-powered vehicles and emergency power generators), leaks of volatile gases (e.g. refrigerators, refrigeration machines, etc.) and direct process emissions (e.g. technical gases, leak tests on fire extinguishers, etc.). **Scope 2** takes into account indirect GHG emissions from purchased energy (electricity, district heating and local heating). **Scope 3** covers all other indirect emissions along the upstream and downstream value chain.

Recording **Scope 3** emissions is a challenging task, which DLR is tackling step by step and attempting to make corresponding progress in each balance sheet. For this report, the **Scope 3** categories for which reliable data was already available or for which a valid data basis could be created at short notice were initially selected. The following **Scope 3** categories will be taken into account for the DLR in 2024:

| Category | Description | Detailed information |
|------------|-------------------------------------|--|
| 3.1 | Purchasing | Emissions from computer hardware, Emissions from drinking water supply at the sites |
| 3.5 | Waste generated during operation | Emissions from wastewater disposal at the sites |
| 3.6 | Business travel | Use of various means of transport and hotels for business travel |
| 3.7 | Commuting by employees | Commuting of DLR employees to their place of work |

In future, the categories capital goods, rented or leased property, plant and equipment, fuel and energy-related emissions from the upstream chain, transport and distribution (upstream), and waste and wastewater are to be gradually included in the report. The category 'Purchased goods and services' will also be expanded to include all products and services purchased by DLR.

3. Evaluation

The GHG emissions for each scope are summarised below. Figure 2 provides an overview of the total emissions. Detailed explanations of the respective scopes can be found in the following sections. All emission values are given in tonnes of carbon dioxide (CO₂) equivalent. The emission factors used for conversion are listed in Tables 1 to 4 in the appendix.

Scope 1: Direct GHG emissions


- The DLR's direct GHG emissions amount to **13,185** tonnes of CO₂ equivalents.
- The main sources of direct GHG emissions are fossil fuels, volatile gases and emissions from experimental fuels.

Scope 2: Indirect GHG emissions from energy supply

- DLR's indirect GHG emissions, calculated using a location-based method, amount to **31,907** tonnes of CO₂ equivalents.
- Using the market-based method, in which emissions are calculated using supplier-specific emission factors, emissions amount to **4,129** tonnes of CO₂ equivalents.
- The main sources of indirect GHG emissions are energy consumption from electricity generation and from district heating and cooling supply.

Scope 3: Indirect GHG emissions from the value chain

- The indirect GHG emissions of the DLR amount to **14,957** tonnes of CO₂ equivalents.
- This balance sheet includes the categories of goods and services, wastewater, business travel and commuting by employees to their place of work as indirect greenhouse gas emissions.



All quantities are reported in tonnes of CO₂-equivalent.

Figure 2 : Overview of GHG emissions in the various scopes.

In total, 60,049 tonnes of CO₂ equivalents (location-based) and 32,271 tonnes of CO₂ equivalents (market-based) for 2024. In the previous reporting period, GHG emissions of 61,036 tonnes of CO₂ equivalents (site-based) and 28,899 tonnes of CO₂ equivalents (market-based) were determined.

Compared to the 2023 balance sheet, the categories of own energy generation and volatile gases are included in **Scope 1**, district heating (market-based), district cooling (market-based), e-mobility (site-based and market-based) have been added in **Scope 2**, and the purchase of computer hardware, drinking water supply and wastewater disposal have been added in **Scope 3**.

3.1. Scope 1 emissions

Scope 1 covers the categories of fuel combustion, volatile gases, direct emissions from processes and other direct emissions.

At DLR, the category of fuel combustion includes heating oil, diesel, gas and petrol. These fuels are used to generate energy (electricity, heat and mobility activities). For the first time, the DLR has included GHG emissions from volatile gases in its balance sheet and has been able to collect initial consumption figures for certain locations. Direct emissions from processes at the DLR arise from the use of experimental fuels in scientific experiments. This includes experimental fuels in laboratories and kerosene for the research fleet, which is recorded separately. The experimental fuels are used at the DLR sites in Cologne-Porz, Lampoldshausen and Stuttgart.

A more detailed breakdown of GHG emissions for **Scope 1** can be found at Figure 3.




Figure 3 : Detailed breakdown of **Scope 1** emissions.

Figure 4 shows the electrical energy generated at DLR for the year 2024. This is distributed across three areas: Photovoltaics, wind power and combined heat and power plants. A total of 18,151,459 kWh of electrical energy was generated in 2024. The wind energy was marketed directly and the electricity from photovoltaics and the combined heat and power plants was used directly. In total, around 56.6 per cent was generated by combined heat and power plants, 43.1 per cent by wind power and 0.3 per cent by photovoltaics.




Figure 4 : Overview of electricity generation at DLR.

The DLR's direct GHG emissions amount to 13,185 tonnes of CO₂ equivalents. Despite incomplete data collection at all DLR sites, volatile gases account for approximately 13 per cent of **Scope 1** emissions to date. This is similar to the emissions from experimental fuels. For the next balance sheet, data on volatile gases will be collected for all sites. The biggest emission drivers in **Scope 1** are fuels and emissions from own energy generation, which are produced by combined heat and power plants.

3.2. Scope 2 emissions

Scope 2 considers indirect GHG emissions from energy consumption such as electricity, district heating, district cooling and energy consumption for electromobility. The DLR reports emission quantities using both a location-based and a market-based approach. The **location-based** approach uses average emission factors from the local electricity grid (the German electricity mix), while the **market-based** approach takes into account the specific emissions resulting from individual energy procurement contracts and certificates. Figure 5 provides a detailed breakdown of **Scope 2** emissions (broken down into location-based and market-based emissions).




Figure 5 : Detailed breakdown of **Scope 2** emissions.

According to the location-based approach, DLR generates a total of 31,907 tonnes of CO₂ equivalents and, according to the market-based approach, 4,129 tonnes of CO₂ equivalents. At almost all of its locations, the DLR obtains electricity from renewable sources via Stadtwerke Magdeburg. Some rented premises are also supplied with this electricity from renewable sources, but these are included in the balance sheet under the location-based approach, as the relevant data is not available from the landlords. The purchase of electricity

generates 25,775 tonnes of CO₂ equivalents on a location-based basis. However, the purchase of electricity from renewable sources avoids 24,714 tonnes of CO₂ equivalents according to the market-based approach. The remaining emissions in the area of electricity are generated by the purchase of location-based electricity. The DLR obtains district heating at some locations from suppliers who generate district heating in accordance with [GEG 2020 \(electricity credit procedure\)](#). This means that this district heating is generated in a GHG-neutral manner in accordance with the market-based approach. This is reflected in the balance sheet with corresponding emissions of 5,479 tonnes of CO₂ equivalents (location-based approach) and 2,576 tonnes of CO₂ equivalents (market-based approach). This meant that 2,903 tonnes of CO₂ equivalents were avoided. For district cooling, suppliers were asked to provide corresponding market-based emission factors. No location-based emission factor can be determined for Germany as a whole, so the corresponding emissions from the market-based approach are used for this purpose. This results in emissions of 478 tonnes of CO₂ equivalents for district cooling. The DLR enables electric vehicles to be charged at its own charging stations. According to the location-based approach, 175 tonnes of CO₂ equivalents are generated. By purchasing electricity from renewable sources, 161 tonnes of CO₂ equivalents were also avoided here, which corresponds to 14 tonnes of CO₂ equivalents in the market-based approach.

3.3. Scope 3 emissions

Scope 3 considers indirect GHG emissions from the categories of wastewater, purchasing, commuting and business travel. The categories of capital goods, rented or leased property, plant and equipment, fuel and energy-related emissions from the upstream chain, transport and distribution (upstream) and waste are excluded for the time being. A total of 14,894 tonnes of CO₂ equivalents were generated in **Scope 3**. A breakdown of the emission quantities can be found in Figure 6.




Figure 6 : Detailed breakdown of **Scope 3** emission quantities.

In future, the category of purchased goods and services will be expanded to include all products and services acquired by DLR. In this balance sheet, only emission values from computer hardware, purchases for employees and drinking water supply at specific DLR locations can be used for the purchasing category. This category totals 1,854 tonnes of CO₂ equivalents. In the commuting category, 7,536 tonnes of CO₂ equivalents were generated. Of these, 6,168 tonnes of CO₂ equivalents were generated by the use of cars, 1,346 tonnes of CO₂ equivalents by public transport and 23 tonnes of CO₂ equivalents were generated by other means of transport. These emission values were estimated based on a recent employee survey. The business travel category accounts for a total of 5,546 tonnes of CO₂ equivalents. Of this, 5,139 tonnes of CO₂ equivalents are generated by air travel (only emissions generated by the combustion of kerosene are taken into account here) and 407 tonnes of CO₂ equivalents by travel in hire cars. Wastewater disposal generates 21 tonnes of CO₂ equivalents and therefore plays only a minor role in the balance sheet.

4. Outlook

The DLR will continue to work on reducing GHG emissions so that it can achieve its self-imposed goal of greenhouse gas neutrality by 2035. The DLR is aware that the data used to calculate GHG emissions is solid in many areas, but that there is still room for improvement. Therefore, work is continuously being done to collect data in order to gradually improve the remaining data gaps and quality and thus be able to compile a comprehensive balance sheet for DLR. With appropriate measures, this will enable even more targeted control in order to continuously reduce GHG emissions.

An important step in this direction will be the expansion and conversion of the DLR's own energy supply. The DLR will continue to pursue [the expansion of electrical energy generation through photovoltaic systems](#) in the coming years. Air travel will also be examined in greater detail. Until now, only emissions generated by the combustion of kerosene have been taken into account. Non-CO₂ effects are not currently included in the calculations and will be estimated with the help of the DLR's own research results.

Appendix

Conversion factors for calculating emissions

The following conversion factors were used to calculate CO₂ equivalents:

Conversion factors for determining greenhouse gas equivalents – base year 2024

The corresponding sources can be found in the bibliography.

Conversion factors in kilograms CO₂ equivalents per kilowatt hour

| Energy carrier/source | Emission factor [kgCO ₂ equivalents/kWh] | Source |
|-----------------------------|---|------------|
| Kerosene | 0.26 | DEFRA 2024 |
| Petrol | 0.23 | DEFRA 2024 |
| Diesel | 0.25 | DEFRA 2024 |
| Heating oil (EL) | 0.29 | DEFRA 2024 |
| Liquefied natural gas (LNG) | 0.20 | BAFA 2024 |
| Natural gas (L) | 0.20 | DEFRA 2024 |
| Natural gas (H) | 0.20 | DEFRA 2024 |
| Butane | 0.24 | DEFRA 2024 |
| German electricity mix | 0.36 | UBA 2024 |
| District heating | 0.28 | BAFA 2024 |
| Local heating | 0.28 | BAFA 2024 |

Table 1

Conversion factors in kilograms of CO₂ equivalents per kilogram

| Energy carrier/source | Emission factor [kgCO ₂ equivalents/kg] | Source |
|--|--|---|
| Ethane (C ₂ H ₆) | 1.15 | BAFA 2024 |
| Ethene (C ₂ H ₄) | 1.45 | BAFA 2024 |
| Propane (C ₃ H ₈) | 1.11 | BAFA 2024 |
| Propene (C ₃ H ₆) | 1.49 | BAFA 2024 |
| Nitrogen, liquid (N ₂) | 0.20 | BAFA 2024 |
| Hydrogen (renewable source) | 0.00 | BAFA 2024 |
| Hydrogen (H ₂) | 12.82 | BAFA 2024 |
| Methanol (CH ₄ O) | 0.76 | BAFA 2024 |
| Acetylene (C ₂ H ₂) | 2.74 | DEFRA 2024 |
| Ethanol | 1.91 | Calculated based on stoichiometric values |

Table 2

Conversion factors in kilograms of CO₂ equivalents per cubic metre

| Service | Emission factor [kg CO ₂ equivalents/m ³] | Source |
|-----------------------|--|------------|
| Wastewater disposal | 0.19 | DEFRA 2024 |
| Drinking water supply | 0.15 | DEFRA 2024 |

Table 3

Conversion factors in kilograms of CO₂ equivalents per kilometre travelled

| Vehicle type | Emission factor [kg CO ₂ equivalent/km] | Source |
|------------------|--|----------|
| Car | 0.164 | UBA 2025 |
| Public transport | 0.064 | UBA 2025 |
| Bicycle | 0.00 | UBA 2025 |
| Other | 0.027 | UBA 2025 |

Table 4

Bibliography

Federal Office of Economics and Export Control (BAFA). (2024). Information sheet CO₂factors, https://www.bafa.de/SharedDocs/Downloads/DE/Energie/eew_infoblatt_co2_faktoren_2024.pdf?__blob=publicationFile&v=4 (accessed on 01.12.2025)

Department for Environment, Food & Rural Affairs (DEFRA). (2024). Greenhouse gas reporting: conversion factors 2024 [Data set]. <https://www.gov.uk/government/publications/greenhouse-gas-reporting-conversion-factors-2024> (Accessed on 01.12.2025)

Federal Environment Agency (UBA). (2025, February). Emissions data: Transport. Federal Environment Agency. <https://www.umweltbundesamt.de/themen/verkehr/emissionsdaten#hbefa> (Accessed on 01.12.2025)

Federal Environment Agency (UBA). (2025, September). CO₂ emissions per kilowatt hour of electricity fell in 2024. <https://www.umweltbundesamt.de/themen/co2-emissionen-pro-kilowattstunde-strom-2024> (Accessed on 01.12.2025)

List of figures

| | |
|---|---|
| Figure 1: Overview of DLR sites in Germany that are included in the greenhouse gas balance..... | 4 |
| Figure 2: Breakdown of GHG emissions in the various scopes..... | 6 |
| Figure 3: Detailed breakdown of Scope 1 emission quantities..... | 7 |
| Figure 4: Overview of electricity generation at DLR..... | 8 |
| Figure 5: Detailed breakdown of Scope 2 emissions..... | 8 |
| Figure 6: Detailed breakdown of Scope 3 emissions..... | 9 |

Imprint

Publisher
German Aerospace Centre (DLR)
Sustainability Division

Concept and editing:
Philipp Bergeron
Teoman Yalin

Address:
Linder Höhe, 51147 Cologne
Email: Nachhaltigkeit@dlr.de

DLR.de